


RFCS

Cabinet Seal



MCT Brattberg RFCS (Retrofit Cabinet Seal open frame)

Innovative open able/retrofit alternative to heavy duty plug in connector and cable glands plates in cabinets.

The unique MCT Brattberg RFCS is available in three basic sizes of 10, 12 & 16 with an extension provision to size:

- 10 to 20, 30 and 40
- 12 to 24, 36 and 48
- 16 to 32, 48 and 64

MCT Brattberg RFCS frame provides :

- Space saving frames compared to conventional plug in connector & cable glands.
- Unique MCT Brattberg compression wedge PTG40 that can be inserted from both sides of the frame to provide classification IP 65/67 and NEMA 250 type 4x.
- Easy installation and availability with ready made packed kits including sealing module or according to customer requirements.

MCT Brattberg RFCS Kit contains:

- Open able frame with gasket.
- MCT Brattberg CS series module with lockable layer and pre marked cable diameter range.
- PTG 40 Compression wedge.
- Gasket for sealing RFCS frame with cabinet.
- Mounting hardware.
- Installation Manual.
- Lubricant.

RFCS size can be extended to larger size on customers demand.



Putting
safety first


All kits are based on the most commonly used Modules of size 40x40 and 20x40.

There are more kits that can be prepared by using Modules 15x40 (Caters 3 cables of Ø2.5 to Ø10.5 mm). Modules 30x40 to have two cables of diameter up to Ø2.5 to Ø15.5 & Ø2.5 to Ø20.5 mm. Module 60x60 cables of diameter up to Ø32.0 to Ø55.0 mm.

Spare blocks are available in 5 and 10 mm height.

Spare module 5X40


Art no. CS00054000



Height: 5 mm, Width: 40mm

Spare module 10X40


Art no. CS00104000



Height: 5 mm, Width: 40mm

Module CS 15X40


Art no. CS00152510



Cable Range: Ø2.5 to Ø 10.5
Height: 15 mm, Width: 40 mm

Module CS 20X40


Art no. CS00202516



Cable Range: Ø2.5 to Ø16.0
Height: 20 mm, Width: 40 mm

Module CS 30X40


Art no. CS00302520



Cable Range: Ø2.5 to Ø15.5 and Ø2.5 to Ø20.5
Height: 30 mm, Width: 40 mm

Module CS 30X40


Art no. CS00302525



Cable Range: Ø2.5 to 10 and Ø2.5 to 25
Height: 30 mm, Width: 40 mm

Module CS 40X40


Art no. CS00401433



Cable Range: Ø14.5 to Ø33.0
Height: 40 mm, Width: 40 mm

Module CS 60X60

Art no. CS00603255




Cable Range Ø32.0 to Ø55.00
Height: 60 mm, Width: 60 mm

PTG Presswedge - For completing the seal

The PTG compresses the system and completing the seal. Manufactured from Lycron with stainless steel (316L).


PTG-40


Art no. CS00460402



PTG-60


Art no. CS00460602






Frame Article no: RFCS001000

RFCS 10	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5			
RFCS 10/4	2	2	55X145	RFCS001004	100X40
RFCS 10/7	6	1	55X145	RFCS001007	100X40
RFCS 10/10	10	0	55X145	RFCS001010	100X40




Frame Article no: RFCS002000

RFCS 20	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5			
RFCS 20/8	4	4	100X145	RFCS002008	200X40
RFCS 20/14	12	2	100X145	RFCS002014	200X40
RFCS 20/20	20	0	100X145	RFCS002020	200X40




Frame Article no: RFCS003000

RFCS 30	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5			
RFCS 30/12	6	6	145X145	RFCS003012	300X40
RFCS 30/21	18	3	145X145	RFCS003021	300X40
RFCS 30/30	30	0	145X145	RFCS003030	300X40




Frame Article no: RFCS004000

RFCS 40	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5			
RFCS 40/16	8	8	195X145	RFCS004016	400X40
RFCS 40/28	24	4	195X145	RFCS004028	400X40
RFCS 40/40	40	0	195X145	RFCS004040	400X40




Frame Article no: RFCS001200

RFCS 12	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5			
RFCS 12/3	0	3	55X165	RFCS001203	120X40
RFCS 12/6	4	2	55X165	RFCS001206	120X40
RFCS 12/9	8	1	55X165	RFCS001209	120X40
RFCS 12/12	12	0	55X165	RFCS001212	120X40




Frame Article no: RFCS002400

RFCS 24	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5			
RFCS 24/6	0	6	100X165	RFCS002406	240X40
RFCS 24/12	8	4	100X165	RFCS002412	240X40
RFCS 24/18	16	2	100X165	RFCS002418	240X40
RFCS 24/24	24	0	100X165	RFCS002424	240X40




Frame Article no: RFCS003600

RFCS 36	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5			
RFCS 36/9	0	9	145X165	RFCS003609	360X40
RFCS 36/18	12	6	145X165	RFCS003618	360X40
RFCS 36/27	24	3	145X165	RFCS003627	360X40
RFCS 36/36	36	0	145X165	RFCS003636	360X40




Frame Article no: RFCS004800

RFCS 48	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5			
RFCS 48/12	0	12	195X165	RFCS004812	480X40
RFCS 48/24	16	8	195X165	RFCS004824	480X40
RFCS 48/36	32	4	195X165	RFCS004836	480X40
RFCS 48/48	48	0	195X165	RFCS004848	480X40




Frame Article no: RFCS001600

RFCS 16	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5			
RFCS 16/4	0	4	50X205	RFCS001604	160X40
RFCS 16/7	4	3	50X205	RFCS001607	160X40
RFCS 16/10	8	2	50X205	RFCS001610	160X40
RFCS 16/13	12	1	50X205	RFCS001613	160X40
RFCS 16/16	16	0	50X205	RFCS001616	160X40




Frame Article no: RFCS003200

RFCS 32	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5			
RFCS 32/8	0	8	100X205	RFCS003208	320X40
RFCS 32/14	8	6	100X205	RFCS003214	320X40
RFCS 32/20	16	4	100X205	RFCS003220	320X40
RFCS 32/26	24	2	100X205	RFCS003226	320X40
RFCS 32/32	32	0	100X205	RFCS003232	320X40



Frame Article no: RFCS014800

RFCS 48	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5			
RFCS 48/12	0	12	145X205	RFCS014812	480X40
RFCS 48/21	12	9	145X205	RFCS014821	480X40
RFCS 48/30	24	6	145X205	RFCS014830	480X40
RFCS 48/39	36	3	145X205	RFCS014839	480X40
RFCS 48/48	48	0	145X205	RFCS014848	480X40




Frame Article no: RFCS006400

RFCS 64	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5			
RFCS 64/16	0	16	195X205	RFCS006416	640X40
RFCS 64/28	16	12	195X205	RFCS006428	640X40
RFCS 64/40	32	8	195X205	RFCS006440	640X40
RFCS 64/52	48	4	195X205	RFCS006452	640X40
RFCS 64/64	64	0	195X205	RFCS006464	640X40

CS

Cabinet Seal



MCT Brattberg CS - Cabinet Seal closed frame

Innovative alternative to heavy duty plug in connector and cable glands plates in cabinets.

The unique MCT Brattberg RFCS is available in basic sizes of 8, 10, 12, 16, 18 and 32.

MCT Brattberg RFCS frame provides :


- Space saving frames compared to conventional plug in connector & cable glands.
- Unique MCT Brattberg compression wedge PTG40 that can be inserted from both sides of the frame to provide classification IP 65/67 and NEMA 250 type 4x.
- Easy installation and availability with ready made packed kits including sealing module or according to customer requirements.

MCT Brattberg RFCS Kit contains:

- Closed frame with gasket.
- MCT Brattberg CS series module with lockable layer and pre marked cable diameter range.
- PTG 40 Compression wedge.
- Gasket for sealing RFCS frame with cabinet.
- Mounting hardware.
- Installation Manual.
- Lubricant.




Putting
safety first




Frame Article no: CS00008000

CS 8	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5			
CS 8/2	0	2	55X130	CS00008002	80X40
CS 8/5	4	1	55X130	CS00008005	80X40
CS 8/8	8	0	55X130	CS00008008	80X40




Frame Article no: CS00001000

CS 10	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5			
CS 10/4	2	2	55X145	CS00001004	100X40
CS 10/7	6	1	55X145	CS00001007	100X40
CS 10/10	10	0	55X145	CS00001010	100X40




Frame Article no: CS00001200

CS 12	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5			
CS 12/3	0	3	55X165	CS00001203	120X40
CS 12/6	4	2	55X165	CS00001206	120X40
CS 12/9	8	1	55X165	CS00001209	120X40
CS 12/12	12	0	55X165	CS00001212	120X40




Frame Article no: CS00001600

CS 16	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5			
CS 16/4	0	4	55X210	CS00001604	160X40
CS 16/7	4	3	55X210	CS00001607	160X40
CS 16/10	8	2	55X210	CS00001610	160X40
CS 16/13	12	1	55X210	CS00001613	160X40
CS 16/16	16	0	55X210	CS00001616	160X40




Frame Article no: CS00001800

CS 18	MCT Brattberg CS series cable diameter range (mm) and number of cables	Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 60X60 32.0-55.0			
CS 18/3	3	75X240	CS00001803	180X60



Frame Article no: CS00001202

CS 12/2	MCT Brattberg CS series cable diameter range (mm) and number of cables	Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 60X60 32.0-55.0			
CS 12/2	2	75x175	CS00001202	120X60



Frame Article no: CS00003200

CS 32	MCT Brattberg CS series cable diameter range (mm) and number of cables		Required cut out (mm)	Art No.	Packing space (mm)
Kit	Size 20X40 2.5-16.0	Size 40 14.5-33.5	100x205		
CS 32/8	0	8	100x205	CS00003208	320X40
CS 32/14	8	6	100x205	CS00003214	320X40
CS 32/20	16	4	100x205	CS00003220	320X40
CS 32/26	24	2	100x205	CS00003226	320X40
CS 32/32	32	0	100x205	CS00003232	320X40

The original Multi Cable Transit

The MCT Brattberg multi cable and pipe transit was patented in the early 1950s and has since then become the industry standard because of its high performance and safety features. With just a few components we create a safer environment.





**we are
putting
safety
first**

Sweden

Head office
MCT Brattberg AB
Phone: +46 - 455 37 52 00
Email: info@mctbrattberg.se
Address
SE-371 92 Karlskrona, Sweden

United Kingdom

MCT Brattberg Ltd
Phone: +44 - 170 624 4890
E-mail: info@mctbrattberg.co.uk
Address
Commerce Street
Carrs Industrial Estate Haslingden
Lancashire BB4 5JT, England

USA

MCT Brattberg Inc
Phone: +1 346 260 9124
Email: sales@brattberginc.com
Address
3332 Spring Stuebner Rd.
Suite G, Spring, TX 77379, USA

Australia

MCT Brattberg Australia Pty Ltd
Phone: +61 (0)44 710 4422
Email: info@mctbrattberg.com.au
Address
Level 2, Margaret Graham Building
Lot Fourteen
1a Frome Road
Adelaide, SA 5000, Australia

United Arab Emirates

MCT Brattberg UAE
Dubai, United Arab Emirates
Phone: +971 50 277 2151
Email: sony.jose@mctbrattberg.ae

Asia

MCT Brattberg Asia Pte. Ltd.
customerservice@mctbrattberg.com.sg
Address
56 Kallang Pudding Road
#09-08 HH@Kallang
Singapore 349328

Bahrain

MCT Brattberg Middle East W.L.L.
Phone: +973 16609480
E-mail: rishi.sevak@mctbrattberg.com
Address
Office: 321, Building : 474, Road : 1010,
Sanabis 0410, Kingdom of Bahrain

Saudi Arabia

MCT Brattberg Middle East W.L.L.
Phone: +966 595603612
E-mail: rishi.sevak@mctbrattberg.com
Address
Al Mentaqa Al Khaligia
Office 21, Khobar Gate Tower
Al-Bandariya, Khobar, 34424,
Kingdom of Saudi Arabia

MCT Brattberg India

Email: operations@mctbrattbergindia.com
Phone: +91-11-49059872
Mobile: +919811540480 (Enish Bahl)
Address
India Building
E 46/10 Ground floor
Okhla industrial area phase 2
New Delhi-110020, India

MCT Brattberg Canada Ltd

Vancouver, BC, Canada
Email: sales@mctbrattberg-can.com
Phone: +1 604 861 9190

Please visit our website for contact information to your closest MCT Brattberg representative:

www.mctbrattberg.com